
Master Plan Review

TAKOMA PARK

Approved and Adopted December 2000



BACKGROUND

In 2007, the Montgomery County Council directed the Planning Department to undertake a comprehensive zoning ordinance rewrite. Last rewritten in 1977, the current $1,200^+$ page code is viewed as antiquated and hard to use with standards that have failed to keep pace with modern development practices.

With only about four percent of land in the County available for greenfield development, the new zoning code can play a crucial role in guiding redevelopment to areas like surface parking lots and strip shopping centers. An updated zoning code is important for achieving the kind of growth Montgomery County policymakers and residents want.

Initial sections of the new code were drafted by Code Studio, a zoning consultant. These drafts were subsequently analyzed and edited by planners based on feedback from the Zoning Advisory Panel (a citizen panel appointed by the Planning Board to weigh in on the project's direction), county agency representatives, residents and other stakeholders. In September 2012, planning staff began the release of a draft code in sections accompanied by a report highlighting changes from the current code. The staff drafts were reviewed at length by the Planning Board.



The Planning Board held worksessions and public hearings between September of 2012 and May of 2013. On May 2, they transmitted their draft to the County Council. The Council adopted the text of the new code in March and adopted the new zoning map in July 2014.

The new code and map will go into effect on October 30, 2014.

ZONE IMPLEMENTATION PROCESS


An important aspect of the Zoning Rewrite process is the potential simplification of 123 existing zones into about 30 proposed zones. While some of the proposed zones are a direct one-to-one translation of existing zones, others are the result of combining existing zones with similar standards. Additionally, existing zones that are not currently mapped or are no longer used in the County have been eliminated from the proposed code. Through the implementation process, Montgomery County aims to simplify the number of zones, eliminate redundancy, and clarify development standards. A full translation table for all zones can be found in the documents section of our website: <u>www.zoningmontgomery.org</u>.

Agricultural, Residential, and Industrial Zone Implementation:

For agricultural and rural zones, the existing zones will be translated to proposed zones on a one-toone basis, with the exception of the Low Density Rural Cluster zone which is not currently used in the County and will be eliminated.

Many of the existing residential zones will remain the same. Other residential zones will be combined with existing zones that have similar development standards. The R-4Plex zone, which is not currently mapped anywhere in the county, will be removed from the proposed code.

Implementation of Industrial zones will combine similar zones (Rural Service, I-1, and R+D) into the proposed Industrial Moderate (IM) zone. The existing heavy industrial zone (I-2) will be renamed as the Industrial Heavy (IH) zone.



Examples:


Commercial and Mixed-Use Zone Implementation:

Parcels located in the existing Commercial, Mixed-use, Central Business District (CBD), and Transit Station zones will be translated into one of the proposed Commercial/Residential (CR) or Employment (E) Zones using a two-tiered process.

First, decisions about specific parcels in these zones were based on recommendations within the Master Plan. Planning staff reviewed each Master Plan in the County. When the Master Plan provided specific recommendations about allowed density, height, or mix of uses for individual commercial or mixed-use parcels, those recommendations were used to build the formula of the proposed zone. This ensures consistency with currently allowed density and height, and helps codify Master Plan recommendations in a parcel-specific manner.

Second, if the Master Plan did not make specific recommendations, the current zone changed to a proposed zone on a one-to-one basis or the proposed zone was determined using a specific standardized decision tree *(see example below)*. The standardized decision tree translates existing zones by considering each specific parcel's proximity to single-family neighborhoods or other factors. The goal of the implementation decision tree is to retain currently allowed heights and densities and maintain context sensitivity.

Example: C-1 Convenience Commercial



TAKOMA PARK

PLAN HIGHLIGHTS

The Takoma Park Master Plan was approved and adopted in December 2000. The Master Plan establishes a set of recommendations in the areas of community preservation, stability, and character; commercial and institutional centers; community facilities, parks, and environmental resources; and neighborhood friendly circulation.

The Master Plan recommends preserving the existing residential character, retaining the existing mix of housing, providing adequate maintenance for infrastructure and housing stock,

and ensuring the provision of community facilities to meet the needs of residents. The Plan further recommends revitalizing the Takoma Park commercial centers in a manner that will not negatively impact the surrounding neighborhoods. The Plan further advocates enhancing the community's public facilities and promoting a circulation system that accommodates vehicular traffic, pedestrians, cyclists, and transit users.



Takoma Park Businesses Community Center



Takoma Park Businesses along Carroll Avenue

ZONE IMPLEMENTATION

The Takoma Park Planning Area currently has 11 zones: 8 Residential and 3 Commercial.

Existing Residential:

RE-2: Detached Unit, Single-Family R-40: Detached Unit, Single-Family R-60: Detached Unit, Single-Family RT-8: Townhouse, Single-Family RT-12.5: Townhouse, Single-Family R-30: Multi-Family, Low Density R-20: Multi-Family, Medium Density R-10: Multi-Family, High Density

Existing Commercial:

C-1: Convenience Commercial C-2: General Commercial O-M: Office Building, Moderate Intensity

Standard Translation:

The existing RE-2 will remain RE-2. The existing R-40 and R-60 will remain. The existing RT-8 and RT-12.5 will remain. The R-30, R-20, and R-10 zones will remain.

The existing C-1 zone will be translated into NR when it's within the Historic District and into CRT in other places. In some cases, the C-1 conversions are standard, but in other cases they're non-standard, primarily due to the Takoma Park / East Silver Spring Commercial Revitalization Overlay. The C-2 and O-M zones will be translated into the proposed CRT (Commercial Residential Town) zone based on the standard translation criteria, specific Master Plan recommendations, and consideration of the Takoma Park/East Silver Spring Commercial Revitalization (TPESS) Overlay zone. Each parcel's proximity to single-family detached neighborhoods was considered in the translation decision, with the overall goal to retain currently allowed heights and densities and maintain context sensitivity.

NON-STANDARD CONVERSIONS


In some cases, properties were not converted using the standard conversions as outlined earlier in the packet.

Generally, this is because the relevant Master or Sector Plan made recommendations regarding the appropriate density, height, or mix of uses on a given site.

In other cases, the text of the zoning ordinance or an overlay zone can affect the development potential of a site, and therefore affect the conversion given as part of the draft proposed DMA.

Additionally, the PHED Committee instructed that, when requested by a property owner, existing site approvals be reflected in the draft proposed DMA. Non-standard conversions sometimes reflect these project approvals.

The following pages will give detail on all of the non-standard conversions in this plan area.




MP Number:		TAKOM-01
Master Plan:		Takoma Park
Location:		Carroll Ave & Eastern Av
Exis	ting Zone:	C-2
Star	ndard Conv:	CRT-1.5 C-1.5 R-0.5 H-45
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50
s	Zone Group:	Standard
Modifications	Overall FAR:	Standard
fica	Comm'l FAR:	Standard
lodi	Resid'l FAR:	Standard
2	Height:	Increased to 50'
Reason for non-standard conversion:		rd conversion:
Мо	ntgomery County Zo	oning Ordinance §59-C-18.213(c):
<i>"Within the overlay zone, building height is limited to 30 feet.</i>		
However, the Board may allow a building height: (i) up to 42		
feet for commercial development, and (ii) up to 50 feet to		
accommodate residential development if the Planning Board		
finds that such buildings are compatible with the neighborhood		

and consistent with the intent of the applicable Master Plan."




	Nie zweite eine	
MP Number:		TAKOM-02E
Mas	ster Plan:	Takoma Park
Loca	ation:	Takoma Junction
Exis	ting Zone:	C-1
Star	ndard Conv:	NR-0.75 H-35
Pro	posed Conv:	NR-0.75 H-50
S	Zone Group:	Standard
tion	Overall FAR:	Standard
fica	Comm'l FAR:	-
Modifications	Resid'l FAR:	-
2	Height:	Increased to 50'
Reason for non-standard conversion:		rd conversion:
Montgomery County Zoning Ordinance §59-C-18.213(c):		
"Within the overlay zone, building height is limited to 30 feet.		

"Within the overlay zone, building height is limited to 30 feet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."




MP Number:		TAKOM-02W
Master Plan:		Takoma Park
Location:		Takoma Park
Exis	ting Zone:	C-1
Star	ndard Conv:	NR-0.75 H-35
Pro	posed Conv:	NR-0.75 H-50
s	Zone Group:	Standard
tion	Overall FAR:	Standard
Modifications	Comm'l FAR:	-
lodi	Resid'l FAR:	-
2	Height:	Increased to 50'
Rea	Reason for non-standard conversion:	
Montgomery County Zoning Ordinance §59-C-18.213(c): <i>"Within the overlay zone, building height is limited to 30 feet.</i> However, the Board may allow a building beight: (i) up to 42		

However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



-		
MP Number:		TAKOM-03E
Mas	ster Plan:	Takoma Park
Loca	ation:	Takoma Park
Exis	ting Zone:	C-1
Star	ndard Conv:	NR-0.75 H-35
Pro	posed Conv:	NR-0.75 H-50
	Zone Group:	Standard
S	Zone Group.	Standard
tions	Overall FAR:	Standard
fications	•	
1 odifications	Overall FAR:	
Modifications	Overall FAR: Comm'l FAR:	
	Overall FAR: Comm'l FAR: Resid'l FAR:	Standard - - Increased to 50'

"Within the overlay zone, building height is limited to 30 feet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."




-		
MP Number:		TAKOM-03W
Master Plan:		Takoma Park
Location:		Takoma Park
Exis	ting Zone:	C-1
Star	ndard Conv:	NR-0.75 H-35
Pro	posed Conv:	NR-0.75 H-50
S	Zone Group:	Standard
tion	Overall FAR:	Standard
fica	Comm'l FAR:	-
Modifications	Resid'l FAR:	-
2	Height:	Increased to 50'
Reason for non-standard conversion:		
Montgomery County Zoning Ordinance §59-C-18.213(c):		
<i>"Within the overlay zone, building height is limited to 30 feet.</i>		

"Within the overlay zone, building height is limited to 30 feet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."




MP Number:		TAKOM-04
Master Plan:		Takoma Park
Location:		Takoma Park
Exis	ting Zone:	C-1
Star	ndard Conv:	NR-0.75 H-45
Pro	posed Conv:	NR-0.75 H-50
s	Zone Group:	Standard
tion	Overall FAR:	Standard
Modifications	Comm'l FAR:	-
lodi	Resid'l FAR:	-
2	Height:	Increased to 50'
Rea	Reason for non-standard conversion:	
Montgomery County Zoning Ordinance §59-C-18.213(c): "Within the overlay zone, building height is limited to 30 feet.		
	However, the Board may allow a building beight: (i) up to 12	

However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-05
Master Plan:		Takoma Park
Location:		Takoma Park
Exis	ting Zone:	C-2
Star	ndard Conv:	CRT-2.25 C-1.5 R-0.75 H-45
Pro	posed Conv:	CRT-2.25 C-1.5 R-0.75 H-50
S	Zone Group:	Standard
tion	Overall FAR:	Standard
fica	Comm'l FAR:	Standard
Modifications	Resid'l FAR:	Standard
2	Height:	Increased to 50'
Reason for non-standard conversion:		
Montgomery County Zoning Ordinance §59-C-18.213(c):		Zoning Ordinance §59-C-18.213(c):
<i>"Within the overlay zone, building height is limited to 30 feet.</i>		
	However, the Board may allow a building beight: (i) up to 42	


However, the Board may allow a building height is inniced to 50 jeet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-06
Mas	ster Plan:	Takoma Park
Loca	ation:	Takoma Park
Exis	ting Zone:	0-M
Star	ndard Conv:	EOF-1.5 H-60
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50
S	Zone Group:	Changed to CRT
tion	Overall FAR:	Standard
Modifications	Comm'l FAR:	-
Resid'l FAR:		-
2	Height:	Reduced to 50'
Reason for non-standard conversion:		rd conversion:


"Within the overlay zone, building height is limited to 30 feet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."

Additionally, staff believes the intent of the overlay zone makes this site more appropriate for a translation to CRT rather than to EOF. Planning staff at the City of Takoma Park requested that these patches of O-M adjacent to C-1 and C-2 be translated into CRT as well, for a more consistent zoning pattern and to match the intent of the overlay zone.



	· · · · · · · · · · · · · · · · · · ·	
MP Number:		TAKOM-07
Mas	ster Plan:	Takoma Park
Loca	ation:	Takoma Park
Exis	ting Zone:	C-2
Star	ndard Conv:	CRT-1.5 C-1.5 R-0.5 H-45
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50
S	Zone Group:	Standard
tion	Overall FAR:	Standard
Modifications	Comm'l FAR:	Standard
lodi	Resid'l FAR:	Standard
2	Height:	Increased to 50'
Reason for non-standard conversion:		rd conversion:
Montgomery County Zoning Ordinance §59-C-18.213(c):		oning Ordinance §59-C-18.213(c):
"Within the overlay zone, building height is limited to 30 feet.		

However, the Board may allow a building height is limited to 30 jeet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-08	
Master Plan:		Takoma Park	
Location:		Takoma Park	
Exis	ting Zone:	C-2	
Star	ndard Conv:	CRT-1.5 C-1.5 R-0.5 H-45	
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50	
s	Zone Group:	Standard	
tion	Overall FAR:	Standard	
fica	Comm'l FAR:	Standard	
Modifications	Resid'l FAR:	Standard	
2	Height:	Increased to 50'	
Rea	son for non-standa	rd conversion:	
Montgomery County Zoning Ordinance §59-C-18.213(c):		oning Ordinance §59-C-18.213(c):	
<i>"Within the overlay zone, building height is limited to 30 feet.</i>		erlay zone, building height is limited to 30 feet.	
However, the Board may allow a building height: (i) up to 42			
feet for commercial development, and (ii) up to 50 feet to			
	accommodate residential development if the Planning Board		

finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



MP Number:		ТАКОМ-09
Mas	ster Plan:	Takoma Park
Loca	ation:	Takoma Park
Exis	ting Zone:	C-2
Star	ndard Conv:	CRT-1.5 C-1.5 R-0.5 H-45
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50
s	Zone Group:	Standard
tion	Overall FAR:	Standard
fica	Comm'l FAR:	Standard
Modifications	Resid'l FAR:	Standard
2	Height:	Increased to 50'
Rea	Reason for non-standard conversion:	
Montgomery County Zoning Ordinance §59-C-18.213(c):		
<i>"Within the overlay zone, building height is limited to 30 feet.</i>		
However, the Board may allow a building height: (i) up to 42		
feet for commercial development, and (ii) up to 50 feet to		

accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-10A
Master Plan:		Takoma Park
Loca	ation:	Takoma Park
Exist	ting Zone:	C-2
Stan	dard Conv:	CRT-2.25 C-1.5 R-0.75 H-45
Prop	oosed Conv:	CRT-2.25 C-1.5 R-0.75 H-50
S	Zone Group:	Standard
Modifications	Overall FAR:	Standard
fica	Comm'l FAR:	Standard
lodi	Resid'l FAR:	Standard
2	Height:	Increased to 50'
Reas	son for non-standa	ard conversion:
Mor	ntgomery County Z	oning Ordinance §59-C-18.213(c):
<i>"Within the overlay zone, building height is limited to 30 feet.</i>		
However, the Board may allow a building height: (i) up to 42		
feet for commercial development, and (ii) up to 50 feet to		
accommodate residential development if the Planning Board		

finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-10B	
Master Plan:		Takoma Park	
Loca	ation:	Takoma Park	
Exis	ting Zone:	C-2	
Star	ndard Conv:	CRT-1.5 C-1.5 R-0.5 H-45	
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50	
S	Zone Group:	Standard	
Modifications	Overall FAR:	Standard	
fica	Comm'l FAR:	Standard	
lodi	Resid'l FAR:	Standard	
2	Height:	Increased to 50'	
Rea	son for non-standa	ard conversion:	
Montgomery County Zoning Ordinance §59-C-18.213(c):		oning Ordinance §59-C-18.213(c):	
"Within the overlay zone, building height is limited to 30 feet			
However, the Board may allow a building height: (i) up to 42			
feet for commercial development, and (ii) up to 50 feet to			

accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



		-		
MP Number:		TAKOM-11		
Master Plan:		Takoma Park		
Location:		Takoma Park		
Exis	ting Zone:	C-2		
Star	ndard Conv:	CRT-2.25 C-1.5 R-0.75 H-45		
Pro	posed Conv:	CRT-2.25 C-1.5 R-0.75 H-50		
s	Zone Group:	Standard		
Modifications	Overall FAR:	Standard		
fica	Comm'l FAR:	Standard		
lodi	Resid'l FAR:	Standard		
2	Height:	Increased to 50'		
Rea	son for non-standa	rd conversion:		
Мо	ntgomery County Z	oning Ordinance §59-C-18.213(c):		
	"Within the ov	erlay zone, building height is limited to 30 feet.		
However, the Board may allow a building height: (i) up to 42				
feet for commercial development, and (ii) up to 50 feet to				
accommodate residential development if the Planning Board				
finds that such buildings are compatible with the neighborhood				
	,			

and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-12	
Master Plan:		Takoma Park	
Loca	ation:	Takoma Park	
Exis	ting Zone:	C-2	
Star	ndard Conv:	CRT-2.25 C-1.5 R-0.75 H-75	
Pro	posed Conv:	CRT-2.25 C-1.5 R-0.75 H-50	
s	Zone Group:	Standard	
Modifications	Overall FAR:	Standard	
fica	Comm'l FAR:	Standard	
lodi	Resid'l FAR:	Standard	
2	Height:	Reduced to 50'	
Rea	son for non-standa	rd conversion:	
Мо	ntgomery County Zo	oning Ordinance §59-C-18.213(c):	
	"Within the ove	erlay zone, building height is limited to 30 feet.	
However, the Board may allow a building height: (i) up to 42			
feet for commercial development, and (ii) up to 50 feet to			
accommodate residential development if the Planning Board			
finds that such buildings are compatible with the neighborhood			
and consistent with the intent of the applicable Master Plan."			



MP Number:		TAKOM-13	
Mas	ster Plan:	Takoma Park	
Loca	ation:	Takoma Park	
Exis	ting Zone:	O-M	
Star	ndard Conv:	EOF-1.5 H-60	
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50	
s	Zone Group:	Changed to CRT	
tion	Overall FAR:	Standard	
fica	Comm'l FAR:	-	
Modifications	Resid'l FAR:	-	
2	Height:	Reduced to 50'	
Rea	Reason for non-standard conversion:		

"Within the overlay zone, building height is limited to 30 feet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."


Additionally, staff believes the intent of the overlay zone makes this site more appropriate for a translation to CRT rather than to EOF. Planning staff at the City of Takoma Park requested that these patches of O-M adjacent to C-1 and C-2 be translated into CRT as well, for a more consistent zoning pattern and to match the intent of the overlay zone.



MP Number:		TAKOM-14	
Master Plan:		Takoma Park	
Loca	ation:	Takoma Park	
Exis	ting Zone:	0-M	
Star	ndard Conv:	EOF-1.5 H-60	
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50	
s	Zone Group:	Changed to CRT	
tion	Overall FAR:	Standard	
Modifications	Comm'l FAR:	-	
Resid'l FAR:		-	
N	Height:	Reduced to 50'	
Rea	Reason for non-standard conversion:		

"Within the overlay zone, building height is limited to 30 feet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."

Additionally, staff believes the intent of the overlay zone makes this site more appropriate for a translation to CRT rather than to EOF. Planning staff at the City of Takoma Park requested that these patches of O-M adjacent to C-1 and C-2 be translated into CRT as well, for a more consistent zoning pattern and to match the intent of the overlay zone.



MP	Number:	TAKOM-15	
Mas	ster Plan:	Takoma Park	
Loca	ation:	Takoma Park	
Exis	ting Zone:	0-M	
Star	ndard Conv:	EOF-1.5 H-75	
Pro	posed Conv:	CRT-1.5 C-1.5 R-0.5 H-50	
s	Zone Group:	Changed to CRT	
tion	Overall FAR:	Standard	
fica	Comm'l FAR:	-	
Modifications	Resid'l FAR:	-	
2	Height:	Reduced to 50'	
Rea	Reason for non-standard conversion:		

"Within the overlay zone, building height is limited to 30 feet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."

Additionally, staff believes the intent of the overlay zone makes this site more appropriate for a translation to CRT rather than to EOF. Planning staff at the City of Takoma Park requested that these patches of O-M adjacent to C-1 and C-2 be translated into CRT as well, for a more consistent zoning pattern and to match the intent of the overlay zone.



MP Number:		TAKOM-16	
Master Plan:		Takoma Park	
Loc	ation:	Takoma Park	
Exis	ting Zone:	C-1	
Star	ndard Conv:	NR-0.75 H-35	
Pro	posed Conv:	NR-0.75 H-50	
s	Zone Group:	Standard	
tion	Overall FAR:	Standard	
Modifications	Comm'l FAR:	Standard	
lodi	Resid'l FAR:	Standard	
2	Height:	Increased to 50'	
Reason for non-standard conversion:		ard conversion:	
Mo	ntgomery County Z	coning Ordinance §59-C-18.213(c):	
<i>"Within the overlay zone, building height is limited to 30 feet.</i>			
However, the Board may allow a building height: (i) up to 42			
feet for commercial development, and (ii) up to 50 feet to			
accommodate residential development if the Planning Board			
finds that such buildings are compatible with the neighborhood			

and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-17	
Mas	ster Plan:	Takoma Park	
Loca	ation:	Takoma Park	
Exis	ting Zone:	C-1	
Star	ndard Conv:	CRT-0.75 C-0.75 R-0.25 H-35	
Pro	posed Conv:	CRT-0.75 C-0.75 R-0.25 H-50	
S	Zone Group:	Standard	
tion	Overall FAR:	Standard	
Modifications	Comm'l FAR:	Standard	
lodi	Resid'l FAR:	Standard	
2	Height:	Increased to 50'	
Reason for non-standard conversion:			
Montgomery County Zoning Ordinance §59-C-18.213(c):			
	"Within the overlay zone, building height is limited to 30 feet.		

However, the Board may allow a building height is infited to 30 jeet. However, the Board may allow a building height: (i) up to 42 feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."



MP Number:		TAKOM-18			
Master Plan:		Takoma Park			
Loca	ation:	Takoma Park			
Exis	ting Zone:	C-1			
Star	ndard Conv:	CRT-0.75 C-0.75 R-0.25 H-35			
Pro	posed Conv:	CRT-0.75 C-0.75 R-0.25 H-50			
s	Zone Group:	Standard			
tion	Overall FAR:	Standard			
fica	Comm'l FAR:	Standard			
Modifications	Resid'l FAR:	Standard			
2	Height:	Increased to 50'			
Rea	son for non-standa	ard conversion:			
Montgomery County Zor		oning Ordinance §59-C-18.213(c):			
"Within the over		erlay zone, building height is limited to 30 feet.			
However, the Board may allow a building h		Board may allow a building height: (i) up to 42			
feet for commercial development, and (ii) up to 50 feet to					

feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."




MP Number:		TAKOM-19			
Master Plan:		Takoma Park			
Location:		Takoma Park			
Exis	ting Zone:	C-1			
Star	ndard Conv:	CRT-0.75 C-0.75 R-0.25 H-35			
Pro	posed Conv:	CRT-0.75 C-0.75 R-0.25 H-50			
S	Zone Group:	Standard			
tion	Overall FAR:	Standard			
fica	Comm'l FAR:	Standard			
Modifications	Resid'l FAR:	Standard			
2	Height:	Increased to 50'			
Reason for non-standard conversion:		rd conversion:			
Montgomery County Zo		oning Ordinance §59-C-18.213(c):			
"Within the overlay zone, building height is limited to		erlay zone, building height is limited to 30 feet.			
However, the Board may allow a building height: (i) up to 42					


feet for commercial development, and (ii) up to 50 feet to accommodate residential development if the Planning Board finds that such buildings are compatible with the neighborhood and consistent with the intent of the applicable Master Plan."

ZONE IMPLEMENTATION


Takoma Park					
Existing			Proposed		
Zone	Acres	Percent	Zone	Acres	Percent
RE-2	24.71	2.65	RE-2	24.71	2.65
R-40	42.31	4.53	R-40	42.31	4.53
R-60	738.85	79.69	R-60	738.85	79.69
RT-8	7.11	0.76	RT-8	7.11	0.76
RT-12.5	1.06	0.11	RT-12.5	1.06	0.11
R-10	34.26	3.67	R-10	34.26	3.67
R-20	29.68	3.18	R-20	29.68	3.18
R-30	17.05	1.83	R-30	17.05	1.83
			CRT-0.75 C-0.75 R-0.25 H-35	0.27	0.03
C-1	13.99	1.50	CRT-0.75 C-0.75 R-0.25 H-50	2.12	0.23
			NR-0.75 H-50	11.60	1.25
C-2	15.64	1 67	CRT-1.5 C-1.5 R-0.5 H-50	8.90	0.96
C-2	15.64	1.67	CRT-2.25 C-1.5 R-0.75 H-50	6.74	0.73
0-M	2.54	0.27	CRT-1.5 C-1.5 R-0.5 H-50	2.54	0.27
Grand Total	927.2	0	Grand Total	927.2	0

ZONE IMPLEMENTATION







EXISTING ZONING MAP



PROPOSED ZONING MAP





PLANNING AREA CONTEXT

