

MAY 2008



MONTGOMERY COUNTY, MARYLAND

HIGHWAY MOBILITY REPORT



MARYLAND-NATIONAL CAPITAL PARK AND PLANNING COMMISSION

TABLE OF CONTENTS

I. EXECUTIVE SUMMARY	4
<i>Staff Recommendations</i>	4
<i>Key Findings</i>	4
<i>Highlights.....</i>	6
<i>Changes to the Report.....</i>	7
II. BACKGROUND	8
<i>Purpose</i>	8
<i>Performance Measurements</i>	8
<i>Data Sources and Reliability Issues</i>	10
<i>Future Data Sources</i>	10
III. CURRENT CONGESTION.....	12
<i>Critical Lane Volumes (CLVs) at Signalized Intersections</i>	12
<i>Arterial Travel Times and Speeds.....</i>	23
<i>Congested Corridors.....</i>	35
IV. FUTURE CONGESTION	38
<i>Year 2012 Forecasted Volume-to-Capacity (V/C) Ratios</i>	38
<i>Year 2012 Policy Area Mobility Review (PAMR) Analysis Results</i>	44
V. APPENDICES	47

FIGURES

Figure 3.1: PM Peak Hour CLV/LATR Ratios by Total Volume	13
Figure 3.2: CLV/LATR Ratio Categorization	14
Figure 3.3: Year-to-Year Comparison of CLV/LATR ratios	15
Figure 3.4: Map of the 10 Most Congested Intersections.....	18
Figure 3.5: Spatial Coverage of Selected Priority Analysis Corridors	23
Figure 3.6: Travel Time-Distance Profile for Northbound Wisconsin Ave (MD 355)	25
Figure 3.7: Travel Time-Distance Profile for Northbound Frederick Rd (MD 355).....	26
Figure 3.8: Travel Time-Distance Profile for Northbound Frederick Rd (MD 355).....	27
Figure 3.9: Travel Time-Distance Profile for Northbound Georgia Ave (MD 97)	28
Figure 3.10: Travel Time-Distance Profile for Northbound Georgia Ave (MD 97)	29
Figure 3.11: Travel Time-Distance Profile for Eastbound Norbeck Rd (MD 28).....	30
Figure 3.12: Travel Time-Distance Profile for Northbound Columbia Pike (US 29)	31
Figure 3.13: Travel Time-Distance Profile for Northbound Connecticut Ave (MD 185).....	32
Figure 3.14: Spatial Coverage of Sampled Roadways in the Up-County Policy Areas	34
Figure 4.1: Map of 2012 PM Peak Hour V/C Ratios and Volumes	42
Figure 4.2: Map Showing Difference in PM Peak Volumes – 2005 vs. 2012.....	43
Figure 4.3: Year 2012 PAMR Analysis Results Chart	45
Appendix 5.1B: Map of CLVs for Bethesda – Silver Spring - Kensington	59
Appendix 5.1C: Map of CLVs for Rockville – Shady Grove – White Flint	60
Appendix 5.1D: Map of CLVs for Gaithersburg – Germantown – Goshen.....	61
Appendix 5.1E: Map of CLVs for Fairland – White Oak – Wheaton	62
Appendix 5.1F: Map of CLVs for Olney – Laytonsville – Muncaster	63
Appendix 5.1G: Map of CLVs for Patuxent – Cloverly – Fairland.....	64
Appendix 5.1H: Map of CLVs for Damascus – Rural East.....	65
Appendix 5.2A: Arterial Travel and Speed Sampling Overview	66
Appendix 5.2B: Detailed Travel Time-Distance Profile for Northbound Wisconsin Ave.....	69
Appendix 5.2C: Detailed Travel Time-Distance Profile for Northbound Rockville Pike.....	70
Appendix 5.2D: Detailed Travel Time-Distance Profile for Northbound Rockville Pike	71
Appendix 5.2E: Detailed Travel Time-Distance Profile for Northbound for Frederick Rd.....	72
Appendix 5.2F: Detailed Travel Time-Distance Profile for Northbound Frederick Rd.....	73
Appendix 5.2G: Detailed Travel Time-Distance Profile for Northbound Georgia Ave.....	74
Appendix 5.2H: Detailed Travel Time-Distance Profile for Northbound Georgia Ave.....	75
Appendix 5.2I: Detailed Travel Time-Distance Profile for Eastbound Norbeck Rd.....	76
Appendix 5.2J: Travel Time-Distance Profile for Eastbound Spencerville Rd (MD 198).....	77
Appendix 5.2K: Detailed Travel Time-Distance Profile for Northbound Colesville Rd	78
Appendix 5.2L: Detailed Travel Time-Distance Profile for Northbound Columbia Pike.....	79
Appendix 5.2M: Detailed Travel Time-Distance Profile for Northbound for Connecticut Ave	80
Appendix 5.2N: Detailed Travel Time-Distance Profile for Westbound Clopper Rd.....	81
Appendix 5.2O: Detailed Travel Time-Distance Profile for Northbound Great Seneca Hwy ..	82
Appendix 5.3D: Map of 2005 PM Peak Hour V/C Ratios and Volumes	86

TABLES

Table 3.1: LATR Congestion Standards.....	15
Table 3.2: 10 Most Congested Intersections.....	16
Table 3.3: Congested Intersections (11-30)	19
Table 3.4: Congested Intersections (31-59)	20
Table 3.5: Decrease in CLV of 15% or More between 2003 and 2007	21
Table 3.6: Increase in CLV of 15% or More between 2003 and 2007	22
Table 4.1: Comparison of County-wide TRAVEL/3 Model Results	40
Table 4.2: Comparison of TRAVEL/3 Model Results – Non-freeway vs. Freeway Facilities .	40
Table 4.3: 2012 PAMR Results - Required Trip Mitigation by Policy Area	44
Appendix 5.1A: All Available Critical Lane Volume Data at Signalized Intersections	48
Appendix 5.3A: Pipeline of Approved Residential Development by Policy Area.....	83
Appendix 5.3B: Pipeline of Approved Commercial Development by Policy Area	84
Appendix 5.3C: Derivation of Year 2012 PAMR Results by Policy Area.....	85
Appendix 5.4: CTP and CIP Project Status as of April 2008	87